SEQUENCE LISTING

```
<110> Ekwuribe, Nnochiri
Radhakrishnan, Balasingam
Price, Christopher
Anderson, Wesley
Ansari, Aslam

<120> BLOOD-BRAIN BARRIER THERAPEUTICS
<130> 9233.80V1
```

<160> 52

<140>

<170> PatentIn version 3.0

09/429, 798

<210> 1

<211> 6

<21%> PRT

<213> synthetic construct

<220>

<221> MOD_RES

<222> (6)..(6)

<223> Polymer connected tq epsilon-amino group

<400> 1

Tyr Gly Gly Phe Met Lys 1 5

<210> 2

<211> 6

<212> PRT

<213> synthetic construct

<220>

<221> MOD_RES

```
<222> (1)..(1)
        Polymer connected to alpha-amino group
 <223>
 <220>
 <221>
        MOD RES
 <222>
       (6)..(6)
        Polymer connected to epsilon-amino group
 <223>
 <400>
        2
 Tyr Gly Gly Phe Met Lys
                 5
 <210>
       3
 <211> 6
<212> PRT
<213>
       synthetic construct
<220>
<221>
       MOD RES
<222>
       (1)..(1)
       Polymer connected to alpha-amino group
<223>
<400>
      3
Tyr Gly Gly Phe Met Lys
<210>
       4
<211> 6
<212> PRT
<213>
       synthetic construct
<220>
<221> MOD RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221>
      MOD RES
<222>
      (6)..(6)
```

<223> AMIDATION <400> 4 Phe Arg Trp Trp Tyr Lys <210> 5 <211> 6 <212> PRT <213> synthetic construct <220> <221> MOD_RES <222> (1)..(1) <223> ACETYLATION <220> <221> MOD RES <222> (6)..(6) <223> AMIDATION <400> 5 Arg Trp Ile Gly Trp Lys <210> 6 <211> 6 <212> PRT <213> synthetic construct <220> <221> MOD_RES <222> (6)..(6) <223> AMIDATION <220> <221> UNSURE <222> (6)..(6) <223> Xaa can be any of the twenty naturally occurring

<400> 6 Trp Trp Pro Lys His Xaa <210> 7 <211> 4 <212> PRT <213> synthetic construct <220> <221> MOD RES <222> (4)..(4) <223> AMIDATION <220> <221> UNSURE <222> (4)..(4) <223> Xaa is either Lys or Arg <400> 7 Trp Trp Pro Xaa 1 <210> 8 <211> 6 <212> PRT <213> synthetic construct <220> <221> MOD RES <222> (6)..(6) <223> AMIDATION <220> <221> UNSURE <222> (6)..(6)

amino acids

<223>

Xaa can be any one of the naturally occurring ami

<400> 8 Tyr Pro Phe Gly Phe Xaa <210> <211> 7 <212> PRT synthetic construct <213> <220> <221> MOD RES <222> (1)..(5)<223> Amino acids are in the D-form <220> <221> MOD RES (6)..(6) <222> <223> n is 0 or 1 <220> <221> MOD RES <222> (7)..(7)Xaa is Gly or the D-form of a naturally occurring <223> amino acid <220> <221> MOD RES (7)..(7) <222> <223> AMIDATION <400> 9 Ile Met Ser Trp Trp Gly Xaa 1 <210> 10 <211> 6

no acids

```
<212>
         PRT
  <213>
         synthetic construct
  <220>
  <221>
         MOD RES
  <222> (1)..(4)
  <223> Amino acids are in the D-form
  <220>
  <221>
        MOD RES
  <222>
        (6)..(6)
        Xaa is Gly or the D-form of a naturally-occurring
  <223>
  amino acid
 <220>
 <221>
        MOD RES
 <222>
       (6)..(6)
 <223>
       AMIDATION
 <400>
        10
 Ile Met Thr Trp Gly Xaa
                 5
 <210>
       11
 <211>
       4
<212>
       PRT
       synthetic construct
<213>
<220>
<221> MOD_RES
<222> (2)..(2)
<223>
       Xaa is A1, wherein A1 is the D-form of Nve or Nle
<220>
<221>
       MOD RES
<222>
      (3)..(3)
<223>
      Xaa is B2, wherein B2 is Gly, Phe, or Trp
<220>
```

```
<221>
        MOD RES
  <222>
        (4)..(4)
  <223>
        Xaa is C3, wherein C3 is Trp or Nap
 <220>
 <221> MOD RES
 <222>
        (4)..(4)
 <223>
       AMIDATION
 <400>
        11
 Tyr Xaa Xaa Xaa
 <210>
        12
 <211>
        3
 <212> PRT
 <213> synthetic construct
 <220>
 <221>
        MOD RES
 <222>
        (1)..(1)
        Tyr has at its N-terminus an Me-x-H-y-N group, wh
 <223>
erein x is 0, 1,
        or 2; and y is 0, 1, or 2, with the proviso that
 x and y is neve
       r greater than
<220>
<221>
       MOD RES
<222>
       (1)..(2)
       The amine between the first Tyr and the second Ty
<223>
r is methylated
<220>
<221>
       MOD RES
<222>
       (3)..(3)
       Xaa is Xaa-z, wherein Xaa is Phe, (D) Phe, or NHBz
<223>
l, and wherein z
        is 0 or
```

```
<220>
  <221>
         MOD RES
  <222>
        (3)..(3)
  <223>
         AMIDATION
 <400>
         12
 Tyr Tyr Xaa
 <210>
         13
 <211>
         6
 <212>
        PRT
        synthetic construct
 <213>
 <220>
 <221>
        MOD RES
 <222>
        (4)..(4)
        Xaa is D4, wherein D4 is Lys or Arg
 <223>
 <220>
 <221>
        MOD RES
 <222>
        (5)..(5)
        His is His-z, wherein z is 0 or 1
 <223>
. <220>
<221>
        MOD RES
<222>
        (6)..(6)
       Xaa is Xaa-z, wherein Xaa is a naturally occurrin
<223>
g amino acid and
         z is 0 or
<220>
<221>
       MOD RES
<222>
       (6)..(6)
<223>
       AMIDATION
<400>
       13
```

```
Trp Trp Pro Xaa His Xaa
                  5
  <210>
        14
  <211> 4
  <212> PRT
  <213> synthetic construct
  <220>
  <221>
         MOD RES
  <222>
        (2)..(2)
        Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
  <223>
 -carboxylic acid
 <400>
        14
 Tyr Xaa Phe Phe
 <210>
        15
 <211>
        4
 <212> PRT
 <213> synthetic construct
 <220>
<221>
       MOD RES
 <222>
       (2)..(2)
       Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
<223>
-carboxylic acid
<220>
<221>
       MOD RES
<222> (4)..(4)
<223>
      AMIDATION
<400>
      15
Tyr Xaa Phe Phe
1
<210>
      16
```

```
<211>
  <212>
         PRT
  <213>
         synthetic construct
  <220>
  <221>
         MOD RES
  <222>
         (1)..(1)
         Tyr is Tyr(N-alpha-Me), i.e. N-alpha-methyltyrosi
  <223>
  ne
  <220>
  <221>
        MOD RES
  <222>
         (2)..(2)
        Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
 <223>
 -carboxylic acid
 <400>
        16
 Tyr Xaa Phe Phe
 1
 <210>
        17
 <211>
        4
 <212> PRT
 <213>
        synthetic construct
 <220>
 <221>
       MOD RES
<222>
        (1)..(1)
       Tyr is Tyr(N-alpha-Cmp), i.e. N-alpha-cyclopropyl
<223>
methyltyrosine
<220>
<221>
       MOD RES
<222>
       (2)..(2)
       Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
<223>
-carboxylic acid
<400>
       17
Tyr Xaa Phe Phe
```

```
1
  <210>
         18
  <211>
         4
  <212>
        PRT
         synthetic construct
  <213>
 <220>
 <221>
         MOD RES
 <222>
        (1)..(1)
 <223>
        Tyr is Tyr(N-alpha-Hex), i.e. N-alpha-hexyltyrosi
 ne
 <220>
 <221>
        MOD RES
 <222>
        (2)..(2)
        Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
 <223>
 -carboxylic acid
 <400>
        18
Tyr Xaa Phe Phe
1
<210>
        19
<211>
        4
<212>
       PRT
<213>
       synthetic construct
<220>
<221>
       MOD RES
<222>
       (1)..(1)
       Tyr is Tyr(N-alpha-Et2), i.e. N-alpha-diethyltyro
<223>
sine
<220>
<221>
       MOD RES
<222>
       (2)..(2)
       Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
<223>
-carboxylic acid
```

```
<400> 19
  Tyr Xaa Phe Phe
  <210>
         20
  <211> 4
  <212> PRT
 <213> synthetic construct
  <220>
 <221>
        MOD RES
 <222> (1)..(1)
 <223>
        Tyr is Dmt, i.e. 2,6-dimethyltyrosine
 <220>
 <221>
        MOD RES
 <222>
        (2)..(2)
        Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
 <223>
 -carboxylic acid
 <400>
        20
Tyr Xaa Phe Phe
<210>
       21
<211>
<212>
       PRT
       synthetic construct
<213>
<220>
<221>
       MOD RES
<222> (1)..(1)
      Tyr is Dmt, i.e. 2,6-dimethyltyrosine
<223>
<220>
<221>
      MOD RES
<222>
      (2)..(2)
      Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
<223>
-carboxylic acid
```

```
<220>
 <221>
        MOD RES
 <222>
       (4)..(4)
 <223>
        AMIDATION
 <400>
        21
 Tyr Xaa Phe Phe
 <210>
        22
 <211>
 <212>
       PRT
 <213>
        synthetic construct
 <220>
 <221>
        MOD RES
 <222>
       (1)..(1)
 <223>
        Tyr is H-Tyr(3-F), i.e. 3-fluorotyrosine
<220>
<221>
       MOD RES
<222>
       (2)..(2)
       Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
<223>
-carboxylic acid
<400>
       22
Tyr Xaa Phe Phe
<210>
       23
<211>
      4
<212> PRT
<213>
       synthetic construct
<220>
<221>
      MOD RES
<222>
      (1)..(1)
      Tyr is H-Tyr(3-Cl), i.e. 3-Chlorotyrosine
<223>
```

```
<220>
  <221>
         MOD RES
  <222>
         (2)..(2)
  <223>
         Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
  -carboxylic acid
 <400>
        23
 Tyr Xaa Phe Phe
 <210>
        24
 <211>
        4
 <212>
       PRT
 <213>
        synthetic construct
 <220>
 <221>
        MOD RES
 <222>
        (1)..(1)
        Tyr is H-Tyr(3-Br), i.e. 3-bromotyrosine
 <223>
 <220>
<221>
        MOD RES
<222>
        (2)^{-}. (2)
        Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
<223>
-carboxylic acid
<400>
       24
Tyr Xaa Phe Phe
<210>
       25
<211>
      4
<212> PRT
       synthetic construct
<213>
<220>
<221>
       MOD RES
<222>
       (1)..(1)
       Tyr is Dmt, i.e. 2,6-dimethyltyrosine
<223>
```

```
<220>
  <221>
         MOD RES
  <222>
         (2)..(2)
         Xaa is Tic-psi-[CH2-], i.e. 3-methyl-1,2,3,4-tetr
  <223>
  ahydroisoquinoli
         n
  <220>
  <221>
         MOD RES
  <222>
        (2) ... (3)
        nonpeptidyl bond
 <223>
 <400>
        25
 Tyr Xaa Phe Phe
 <210>
        26
 <211>
        4
 <212>
        PRT
 <213>
        synthetic construct
 <220>
<221>
        MOD RES
<222>
        (1)..(1)
<223>
       Tyr is Dmt, i.e. 2,6-dimethyltyrosine
<220>
<221>
       MOD RES
<222>
       (2)..(3)
<223>
       nonpeptidyl bond
<220>
<221>
       MOD RES
<222>
       (2)..(2)
<223>
       Xaa is Tic-psi-[CH2-], i.e. 3-methyl-1,2,3,4-tetr
ahydroisoquinoli
       n
```

```
<220>
 <221>
         MOD RES
 <222>
        (4)..(4)
 <223>
        AMIDATION
 <400>
        26
 Tyr Xaa Phe Phe
 <210>
        27
 <211>
 <212>
        PRT
 <213>
        synthetic construct
 <220>
 <221>
        MOD RES
 <222>
        (2)..(2)
        Xaa is Tic-psi-[CH2-], i.e. 3-methyl-1,2,3,4-tetr
 <223>
ahydroisoquinoli
        n
<220>
<221>
        MOD RES
<222>
        (3)..(3)
        Phe is -NCH3]Phe, i.e. N-methylphenylalanine
<223>
<400>
       27
Tyr Xaa Phe Phe
<210>
       28
<211>
       4
<212>
       PRT
<213>
       synthetic construct
<220>
<221>
       MOD_RES
<222>
       (2)..(2)
<223>
       Xaa is Tic-psi-[CH2-], i.e. 3-methyl-1,2,3,4-tetr
```

```
ahydroisoquinoli
         n
 <220>
 <221>
        MOD RES
 <222>
        (3)..(3)
 <223>
        Phe is -NH] Hfe, i.e. homophenylalanine
 <400>
        28
 Tyr Xaa Phe Phe
 <210>
        29
 <211>
        4
 <212>
        PRT
 <213>
        synthetic construct
 <220>
 <221>
        MOD RES
<222>
        (1)..(1)
        Tyr is Tyr(NMe), i.e. N-methyltyrosine
<223>
<220>
<221>
       MOD RES
<222>
       (2)..(2)
       Xaa is Tic-psi-[CH2-], i.e. 3-methyl-1,2,3,4-tetr
<223>
ahydroisoquinoli
       n
<220>
<221>
       MOD RES
<222>
      (3)..(3)
       Phe is -NH]Hfe, i.e. homophenylalanine
<223>
<400>
       29
Tyr Xaa Phe Phe
```

```
<210>
        30
 <211>
        4
 <212>
        PRT
 <213>
       synthetic construct
 <220>
 <221> MOD_RES
 <222>
       (2)..(2)
        Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
 <223>
 -carboxylic acid
 <220>
 <221>
        MOD RES
 <222>
       (3) . . (3)
 <223>
       Gly is Phg, i.e. phenylglycine
<400>
       30
Tyr Xaa Gly Phe
<210>
       31
<211>
       4
<212>
       PRT
<213> synthetic construct
<220>
<221>
       MOD RES
<222>
      (2)..(2)
       Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
<223>
-carboxylic acid
<400>
       31
Tyr Xaa Trp Phe
<210>
     32
<211>
      4
<212> PRT
     synthetic construct
<213>
```

```
<220>
<221>
       MOD RES
 <222>
       (2)..(2)
       Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
 <223>
 -carboxylic acid
<220>
<221>
       MOD RES
<222> (4)..(4)
<223>
       AMIDATION
<400>
       32
Tyr Xaa Trp Phe
<210>
       33
<211>
       4
<212>
       PRT
<213>
       synthetic construct
<220>
<221>
       MOD RES
<222>
       (2)..(2)
       Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
<223>
-carboxylic acid
<400>
       33
Tyr Xaa His Phe
<210>
      34
<211> 4
<212> PRT
<213>
      synthetic construct
<220>
<221> MOD RES
<222>
       (2)..(2)
      Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
<223>
-carboxylic acid
```

```
<220>
  <221>
        MOD RES
  <222>
        (3)..(3)
        Ala is 2-Nal, i.e. 3-(2'-naphthyl)alanine
 <223>
 <400>
        34
 Tyr Xaa Ala Phe
 <210>
        35
 <211>
        4
 <212> PRT
 <213>
        synthetic construct
 <220>
 <221>
        MOD RES
 <222>
        (2)..(2)
        Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
 <223>
 -carboxylic acid
<220>
<221>
       MOD_RES
<222>
        (3)..(3)
       Xaa is Atc, i.e. 2-aminotetralin-2-carboxylic aci
<223>
d
<400>
       35
Tyr Xaa Xaa Phe
<210>
       36
<211> 4
<212>
      PRT
      synthetic construct
<213>
<220>
<221>
       MOD RES
<222>
      (2)..(2)
```

```
Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
 -carboxylic acid
 <220>
       MOD RES
 <221>
<222>
       (4)..(4)
       Phe is Phe(pNO2), i.e. 4-nitrophenylalanine
<223>
<400>
       36
Tyr Xaa Phe Phe
<210>
       37
<211>
       4
<212> PRT
<213>
       synthetic construct
<220>
<221>
       MOD RES
<222>
       (2)..(2)
       Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
<223>
-carboxylic acid
<220>
      MOD_RES
<221>
<222>
      (4)..(4)
       Phe is Phe(pNO2), i.e. 4-nitrophenylalanine
<223>
<400>
       37
Tyr Xaa Trp Phe
1
<210> 38
<211> 4
<212> PRT
<213>
     synthetic construct
<220>
<221>
      MOD RES
```

```
<222>
         (2)..(2)
         Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
  <223>
  -carboxylic acid
  <220>
 <221> MOD_RES
 <222>
        (4)..(4)
 <223>
        AMIDATION
 <400>
        38
 Tyr Xaa Phe Trp
 <210>
        39
 <211>
        7
 <212>
        PRT
 <213>
        synthetic construct
 <220>
 <221>
        MOD_RES
 <222>
        (2)..(2)
        Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
 <223>
-carboxylic acid
<220>
<221>
       MOD RES
<222>
       (7)..(7)
<223>
       AMIDATION
<400>
       39
Tyr Xaa Phe Phe Val Val Gly
                5
<210>
       40
<211>
       7
<212>
      PRT
       synthetic construct
<213>
<220>
```

```
<221> MOD RES
 <222>
       (2)..(2)
        Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
 <223>
 -carboxylic acid
 <220>
 <221>
        MOD RES
 <222> (7)..(7)
 <223> AMIDATION
 <400>
        40
 Tyr Xaa Phe Phe Tyr Pro Ser
 1
 <210>
       41
<211>
       7
<212> PRT
<213>
       synthetic construct
<220>
<221>
       MOD_RES
<222> (2)..(2)
<223>
       Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
-carboxylic acid
<220>
<221>
       MOD RES
<222> (7)..(7)
<223> AMIDATION
<400>
       41
Tyr Xaa Trp Phe Tyr Pro Ser
<210> 42
<211> 7
<212> PRT
<213> synthetic construct
```

```
<220>
  <221>
         MOD RES
  <222>
         (2)..(2)
  <223>
         Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
  -carboxylic acid
  <220>
  <221>
         MOD RES
  <222> (4)..(4)
  <223>
        Phe is Phe(pNO2), i.e. 4-nitrophenylalanine
 <220>
 <221>
        MOD_RES
 <222>
        (7)..(7)
 <223>
        AMIDATION
 <400> 42
 Tyr Xaa Trp Phe Tyr Pro Ser
 <210>
        43
 <211>
        7
 <212>
        PRT
        synthetic construct
 <213>
<220>
<221>
       MOD RES
<222>
       (2)..(2)
       Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
<223>
-carboxylic acid
<220>
<221>
       MOD RES
<222>
      (6)..(6)
<223>
       Nle
<220>
<221>
       MOD RES
       (7)^{-}..(7)
<222>
```

```
<223> AMIDATION
 <400>
        43
 Tyr Xaa Phe Phe Leu Leu Asp
 <210>
        44
 <211>
        3
 <212>
       PRT
 <213>
       synthetic construct
 <220>
 <221>
       MOD RES
 <222>
       (2)..(2)
       Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
 <223>
-carboxylic acid
<400>
      44
Tyr Xaa Phe
<210>
       45
<211>
       3
<212> PRT
<213>
       synthetic construct
<220>
<221>
       MOD RES
<222>
       (2)..(2)
       Xaa is Tic, i.e. 1,2,3,4-tetrahydroisoquinoline-3
<223>
-carboxylic acid
<220>
<221>
      MOD RES
<222>
      (3)..(3)
<223> AMIDATION
<400>
     45
```

```
Tyr Xaa Phe
  <210>
         46
  <211>
        3
  <212> PRT
 <213> synthetic construct
 <220>
 <221>
       MOD RES
 <222>
        (2) ... (2)
 <223>
        Xaa is Tic-psi-[CH2-], i.e. 3-methyl-1,2,3,4-tetr
 ahydroisoquinoli
        n
 <220>
 <221>
        MOD RES
 <222>
        (2)..(3)
        nonpeptidyl bond
 <223>
 <400>
        46
Tyr Xaa Phe
<210>
       47
<211>
       4
<212>
       PRT
       synthetic construct
<213>
<220>
<221>
       MOD RES
<222>
       (2)..(2)
       Xaa is Tic-psi-[CH2-], i.e. 3-methyl-1,2,3,4-tetr
<223>
ahydroisoquinoli
       n
<220>
<221> MOD_RES
<222>
      (2)..(3)
<223>
      nonpeptidyl bond
```

```
<400>
          47
  Tyr Xaa Phe Phe
  <210>
         48
  <211>
         5
  <212>
        PRT
  <213>
         synthetic construct
  <400>
         48
  Tyr Gly Gly Phe Met
 <210>
         49
 <211>
 <212>
        PRT
 <213>
        synthetic construct
 <400>
        49
 Tyr Gly Gly Phe Met Lys
 <210>
        50
 <211>
        6
 <212>
        PRT
 <213>
        synthetic construct
<400>
        50
Tyr Gly Gly Phe Leu Lys
<210>
       51
<211>
       6
<212>
      PRT
<213>
       synthetic construct
<220>
<221>
       MOD RES
<222>
       (1)..(1)
<223>
       NH2 of Tyr is blocked by butyloxycarbonyl group
```

```
<400>
         51
 Tyr Gly Gly Phe Leu Lys
 <210>
        52
 <211>
        6
 <212>
        PRT
 <213>
        synthetic construct
 <220>
 <221>
        MOD_RES
<222>
        (1)...(1)
        NH2 of Tyr is blocked by butyloxycarbonyl group
 ×223>
 220>
<221>
       MOD_RES
<222>
       (6) ... (6)
<223>
       polymer connected to epsilon-amino group
<400>
       52
Tyr Gly Gly Phe Leu Lys
```